



Application Date: Jan. 9, 1945.

No. 700/45.

Complete Specification Left: Feb. 5, 1946.

Complete Specification Accepted: May 2, 1947.

PROVISIONAL SPECIFICATION

Improvements in and relating to Adjustable Electrical
Phase-Shifting Networks

I, EDMUND RAMSAY WIGAN, of 35, Montague Road, Southbourne, Bournemouth, Hampshire, a British Subject, do hereby declare the nature of this invention to be as follows:—

Electrical networks in accordance with this invention contain two arms in the form known in the art as an **L**, with the modification that a point in the one arm of the **L** is connected to a point in the other arm of the **L** via an additional impedance. This impedance, preferably a resistance or a condenser, is made variable, all the other elements of the network being fixed (or adjustable, but fixed during this variation). In what follows the elements contained in the arms of the **L** will be called the "basic elements," or "impedances," the additional element just referred to above will be called the "variable element," or "impedance."

The input to the network is applied across the two arms of the **L** in series, the output is taken from across one of the two arms. The network is designed to work into a substantially infinite load impedance.

It is a feature of the invention that, when the basic elements are properly proportioned and the points of connection of the two ends of the variable impedance are correctly placed, then the voltage phase-shift through the network can, by the adjustment of the variable impedance, be made zero at any frequency within a certain band of input frequencies.

It is a further most valuable feature of the invention that when the network is thus adjusted to zero voltage phase-shift the attenuation through the network is constant irrespective of the frequency, and is determined only by the magnitudes of the basic elements.

In a preferred arrangement of the network, one arm of the **L** consists of a capacitance and a resistance in series, and the other arm consists of a resistance and capacitance in parallel. The two resistances are commoned together at the angle

[Price 1/-]

of the **L**. The variable element is a resistance connected between a point on the resistance in the one arm and a point on the resistance in the other arm. In an alternative form the series and parallel capacitances each consist of two condensers in series, the junction of the 2nd and 3rd condensers being at the angle of the **L**, and the variable element of the network consists of a condenser connected between the junction of the 1st and 2nd of these condensers in the one arm of the **L** and the junction of the 3rd and 4th of these condensers in the other arm.

As a specific example of the invention, consider the first case described in the previous paragraph. If the two fixed resistances are equal and the two fixed capacitances are equal the variable resistance may be connected to the junction of the capacitance and resistance in the series arm and to such a point on the resistance in the parallel arm as to embrace 61.8% of this resistance.

When the variable resistance is set to infinity the frequency of zero phase-shift is given by f_{inf} ,

$$\text{and } f_{inf} = \frac{1}{2\pi C.R.} \quad 80$$

where C = Capacity of either condenser.
R = Resistance in either arm.

And when the variable resistance is set to zero, the frequency of zero phase-shift is given by f_0 85

$$\text{and } f_0 = 2.618(f_{inf}) = \frac{3 + \sqrt{5}}{2}(f_{inf})$$

Intermediate values of frequency of zero phase-shift are obtained with intermediate values of the variable resistance. 90

The voltage loss ratio through the network remains constant at all values of the variable resistance provided the fre-

quency is such that the phase-shift is zero.

In the specific network just described the ratio of f_o/f_{int} becomes smaller if the points of connection of the variable resistance to the series and parallel resistances are altered. It is essential, however, to maintain a specific relationship between the fractions of the series and the parallel resistances embraced by the variable resistance if the voltage loss ratio at the frequency of zero phase-shift is to remain constant for all values of the variable resistance.

In a modification of the specific network just described a fixed resistance is added in the arm of the L containing the parallel resistance and condenser, and in series with this combination. The value of this resistance can be altered so as to vary the values of f_o and f_{int} and to vary the ratio of f_o to f_{int} . At the same time the law connecting the frequency of zero phase-shift with the value of the variable resistance is also modified. For example the basic components of the network may be so proportioned that this frequency may reach infinity when the variable resistance has either negative, or zero, or finite magnitude, as may be desired.

An equivalent modification may be made (with the same advantages) to the networks which employ a variable reactance.

Networks of the type disclosed may be employed as "frequency-selective" networks in, for example, "frequency bridges" and what are known in the art as "R/C-Coupled Oscillators." In the latter case the sinusoidal variation with respect to time of the single variable

element of the network (for example a resistance) will cause the oscillator to produce a frequency-modulated waveform from which amplitude-modulation is substantially absent.

Where frequency-modulation of an R/C-Coupled Oscillator is required at voice or audio-frequencies, a carbon microphone may act directly as this variable resistance, alternatively well-known dry-plate rectifier or thermionic valve networks may be arranged to provide, between the points required, a resistance which is a function of an externally applied alternating voltage, thus allowing the R/C-Coupled Oscillator to be modulated by this external voltage.

In such cases, by suitable choice of the basic elements of the network, the relationship between frequency of oscillation and variable resistance can be adjusted so as to tend to correct for the non-linear relationship which may exist in the dry-plate rectifier or thermionic valve network between effective resistance and the instantaneous magnitude of the current or voltage controlling the modulation.

It is a feature of the invention that, provided the relative magnitude of the basic non-reactive components and the relative magnitudes of the basic reactive components of the network are maintained, either or both of these sets of components may be varied so as to alter the range of frequency of zero phase-shift associated with the variation of the variable impedance in the network.

Dated the 4th day of January, 1945.

E. RAMSAY WIGAN,

COMPLETE SPECIFICATION

Improvements in and relating to Adjustable Electrical Phase-Shifting Networks

I, EDMUND RAMSAY WIGAN, of 35, Montague Road, Southbourne, Bournemouth, Hampshire, England, a British Subject, do hereby declare the nature of this invention and in what manner the same is to be performed, to be particularly described and ascertained in and by the following statement:—

The present invention relates to electrical phase shifting networks, with particular reference to networks which may be conveniently adjusted to produce a zero phase shift at any desired frequency in a given range of frequencies.

The invention is of particular

advantage when applied to the frequency determining network of an oscillator of the resistance-reactance type, which includes a coupling network of the L type, having a series arm and a shunt arm both of which include resistive and reactive elements, the frequency of oscillation being substantially that for which the phase shift produced by the network is zero. Such a network may also be used in frequency meters.

As will be explained more fully later, in the present invention an adjustable impedance element is added to the conventional L network of the resistance-

reactance type, and by means of this adjustable element, the frequency of zero phase shift may be varied over a certain range, while the network may also be designed so that the voltage transfer ratio of the network at the frequency of zero phase shift is independent of the frequency, and is determined by the series and shunt arms of the network. This is a valuable property of the invention because it enables the frequency of an oscillator to be varied without varying the output level, and further if the adjustable impedance element be adapted to be varied in some way under the control of a signal (for example, if the element should be a microphone), substantially pure frequency modulation unaccompanied by amplitude modulation will be obtained in a very simple manner.

The invention accordingly provides an electrical phase shifting network including resistive and reactive impedance elements arranged in series and shunt arms of the network, and comprising an additional impedance element connecting a point in a series arm with a point in a shunt arm, the arrangement being such that the phase shift produced by the network is zero at a frequency which depends on the magnitude of the additional element.

The invention will be described with reference to the accompanying drawings, in which:—

Fig. 1 shows a schematic circuit diagram of a known type of phase shifting network;

Fig. 2 shows the network of Fig. 1 modified according to the invention, to give one example illustrating the invention;

Fig. 3 shows a block schematic diagram of the most general network according to the invention;

Fig. 4 shows a schematic circuit diagram which includes a group of networks according to the invention;

Figs. 5 and 6 show characteristic curves of networks according to the invention;

Figs. 7, 8, 9 and 10 show a schematic diagram of particular networks according to the invention;

Fig. 11 shows a schematic circuit diagram of an oscillator incorporating a network according to the invention; and

Figs. 12 and 13 show modifications of the networks of Fig. 2.

Fig. 1 shows a coupling network of well known type often employed in a resistance-reactance type of oscillator. The input terminals 1, 2 are connected to the output terminals 3, 4 by a series arm including a condenser 5 in series

with a resistance 6, and a shunt arm including a condenser 7 in parallel with a resistance 8. Fig. 2 shows one particular example of a network according to the present invention, and is the same as Fig. 1 with the addition of a resistance 9 (which may be variable) connecting a point in the resistance 6 with a point in the resistance 8. It can be shown that by proper proportioning of the elements of the network, the phase shift between the terminals 1, 2 and the terminals 3, 4 can be made zero at a particular frequency, and moreover, if the resistance 9 be made adjustable, the frequency of zero phase shift may be varied over a certain range. In addition, the elements of the network may be so designed that the voltage transfer ratio, that is, the ratio of the output voltage to the input voltage, at the frequency of zero phase shift, is constant.

Fig. 2 is, however, only one possible form of the network according to the invention, which is indicated more generally in Fig. 3. The series arm includes two series impedances represented by blocks 10 and 11, and the shunt arm includes two impedances 12 and 13 connected in series, and shunted by another impedance 14, still another impedance 15 being connected in series with the combination of 12, 13 and 14. The adjustable impedance 16, which is the principal characteristic of the invention, is connected between the junction points of impedances 10 and 11, and impedance 12 and 13.

Some of the blocks 10 to 15 may include both resistance and reactance elements; and the series and shunt arms of the network must each of them include at least one resistance element and at least one reactance element. The impedance 16 can be either a variable resistance or a variable reactance. The impedance 15 is not an essential element and may be omitted, but when used will generally be a resistance element. It will be understood, of course, that reactance elements may be condensers or inductances. Usually, also, the impedances 11, 12, 13 and 16 will be all of the same kind, that is, they will be all resistances, or all reactances of the same sign.

It will be understood, also, that the networks included in Fig. 3 can generally be replaced by equivalent networks with the elements arranged in other ways, according to well known principles.

The elements of the network of Fig. 3 may be designed to fulfil desired conditions by solution of the network accord-

ing to well known principles, but the general solution is involved and tedious, and accordingly the solution in one or two typical cases will be quoted. It is always assumed that the impedance to which the terminals 3 and 4 are connected is substantially infinite.

In the particular case of Fig. 3 shown in Fig. 4, the impedance 10 consists of an element of reactance X_1 in series with a resistance x . The impedance 14 consists of an element of reactance X_2 in series with a resistance r_2 . The impedances 11, 12, 13, 15 and 16 are resistances y , a , b , r_1 and P respectively. It will be understood that the reactances X_1 and X_2 may be represented either by condensers or by inductances.

The following additional symbols will be used:— 20

$$\begin{aligned} R_1 &= x + y; & R_2 &= a + b; \\ R_1/R_2 &= M; & X_1/X_2 &= N; \\ r_1/R_1 &= A; & r_2/R_2 &= D; \\ x/R_1 &= q; & a/R_2 &= p; \\ (1-q)/p &= B; & y/a &= d; \end{aligned} \quad 25$$

$$K = (P + a + y)/(a + y)$$

Voltage transfer ratio $e_2/e_1 = L$;
It follows that $BM = d$

It will be first assumed that $r_2 = 0$.

Then it can be shown that the condition for zero phase shift is 30

$$X_1 X_2 / R_1 R_2 = (1 - NA)/(1 + MA) - p[d^2/M + (1 - NA)/(1 + MA)] / (P/pR_2 + 1 + d) \quad (1)$$

In practice it is usually desirable to be able to choose the value of the voltage transfer ratio L . It can be shown that at the frequency of zero phase shift, and when the network elements have been chosen so that L is the same at all such

zero-phase-shift frequencies,

$$1/L = 1 + (M + N)/(1 + MA) \quad (2) \quad 40$$

Equation (1) may then be written in a slightly different form using equation (2)

$$X_1 X_2 = R_1 R_2 (1 - NA)/(1 + MA) - [R_2 y^2 + a^2(R_1 + r_1) - a^2 r_1 / L] / K(a + y) \quad (3)$$

A number of different pairs of values of p and q , which satisfy the conditions, are possible. These parameters determine the tapping points on the series and shunt arms to which the resistance P is connected. Such pairs of values may be determined from one or other of the following equations, which are equivalent:—

$$1/L = 1 + BM + N/(1 + BM) \quad (4)$$

$$1/L = 1 + d + N/(1 + d) \quad (5)$$

and if X_1 and X_2 are represented by condensers of capacities C_1 and C_2 then $X_1 X_2 = 1/4\pi^2 f^2 C_1 C_2$. If X_1 and X_2 are represented by inductances L_1 and L_2 , then $X_1 X_2 = 4\pi^2 f^2 L_1 L_2$.

It will be noted from equation (1) that when P is infinite, then the corresponding limiting value of the zero-phase-shift frequency is that frequency for which 65

$$\begin{aligned} X_1 X_2 &= R_1 R_2 (1 - NA)/(1 + MA) \\ &= R_1 R_2 - r_1 R_2 (1/L - 1) \end{aligned} \quad (6)$$

The frequency of zero phase shift may be determined from equation (1) or (3) since it occurs in the reactances X_1 and X_2 . For example, if f is this frequency

When P is zero the corresponding limiting value of the zero-phase-shift frequency is that frequency for which 70

$$X_1 X_2 = R_1 R_2 (1 - NA)/(1 + MA) - [R_2 y^2 + a^2(R_1 + r_1) - a^2 r_1 / L] / (a + y) \quad (7)$$

from equation (3), since $K=1$ when $P=0$.

Equation (7) indicates that when X_1 and X_2 are negative reactances, r_1 may be chosen so that the limiting zero-phase-shift frequency is infinite when $P=0$. Likewise when X_1 and X_2 are positive reactances r_1 may be chosen so that the limiting zero-phase-shift frequency is zero when $P=0$. In both cases, of course, $X_1 X_2$ is zero.

It is not practicable to give any very definite directions as to the choice of

values for the elements of the network to fulfil specified conditions, because the possibilities of choice are rather wide and the procedure will often be determined by such factors as the limitations set by the design or availability of certain of the elements. However, the process may be somewhat as follows:—

When designing a network to cover a certain frequency range the first step is to choose a value of L which is suitable for the circuit associated with the network; for example, when the network is

used in an oscillator, the value of L will be determined at least in part by the gain of the associated amplifier.

The parameters M , N and A are then chosen to satisfy equation (2). Unless a wide range of variation of the zero-phase-shift frequency by adjustment of P is required, A may be made zero by making r_1 zero. The tapping points to which the resistance P are to be connected are determined from equation (4) or (5) from which d is found, and therefore B may be determined, since M has been already fixed.

Any value of p may now be selected, and from the value of B just determined the corresponding value of q is found. If a wide range of variation of the zero-phase-shift frequency is desired, a large value of p should be chosen. All the quantities in equation (1) are now fixed except the individual values of X_1 , X_2 , R_1 and R_2 .

Let it be assumed that X_1 and X_2 are produced by condensers C_1 and C_2 . Then the lowest frequency of the range will be obtained for the maximum practicable value of P , and the highest frequency when $P=0$. A trial choice of values of R_1 , R_2 , C_1 and C_2 should be made on the assumption that P is disconnected, in order to obtain the lowest desired zero-phase-shift frequency. If R_2 can conveniently be given a value small compared with the highest practicable value of P , then this lowest frequency will not be much affected when P is connected and set to its maximum value. A suitable value of p may now be found from equation (1) in order to obtain the highest desired zero-phase-shift frequency when P has its smallest practicable value. Then q is determined from the value of B as already mentioned.

The manner in which the performance of the network of Fig. 4 (in which the reactances X_1 and X_2 are represented by condensers) depends on the value of the resistance r_1 is shown in Fig. 5, in which the zero-phase-shift frequency f is plotted against the value of P . The curve (a) represents the case when $r_1=0$, and is asymptotic to a line QR parallel to OX , which line cuts the axis OY at the point Q representing the minimum value of f when P is infinite. The curve (a) cuts the axis OY at a point corresponding to the maximum zero-phase-shift frequency f_a when $P=0$. When r_1 has a small value, the corresponding curve (b) lies above the curve (a) and cuts the axis OY at a point corresponding to a higher maximum frequency f_b .

The curve (c) represents the special

critical case when the value of r_1 has been chosen so that f is infinite when P is zero. This curve is asymptotic to OY .

The curve (d) shows the case when r_1 has a value larger than the critical value. This curve is asymptotic to a line ST parallel to OY and cutting the axis OX in a point S corresponding to the minimum value of P for which any zero-phase-shift frequency is possible.

It will be evident from equation (6) that each of the curves (a), (b), (c), (d) will be asymptotic to a different line parallel to OX . Only the line QR corresponding to curve (a) has been shown, in order to avoid confusing the figure.

It should be pointed out that the degree of separation of the curves (a), (b), (c), (d) depends on the value of p which has been selected. When a relatively large value of p is chosen, the curves are well separated, as shown in Fig. 5; but for smaller values, the curves (b), (c) and (d) tend to move closer together, and to curve (a), and as p approaches zero they will all tend to coincide with curve (a).

The curves of Fig. 5 also represent the case in which the reactances X_1 and X_2 are provided by inductances, so long as the scale of ordinates along OY is in terms of $1/f$ instead of in terms of f .

When all the elements of the network have been selected, the equation (3) may be written in the form

$$\left. \begin{aligned} \text{(a) } 1/f^2 &= A_1 - A_2/K \\ \text{or (b) } f^2 &= A_3 - A_4/K \end{aligned} \right\} \quad (8) \quad 100$$

where A_1 , A_2 , A_3 and A_4 are constants, the forms (a) and (b) corresponding respectively to the cases in which the reactances X_1 and X_2 are provided by condensers and inductances.

Equations (8) show in the simplest form the relation between P (which is contained in K) and the corresponding zero-phase-shift frequency.

Fig. 6 shows $1/f^2$ for equation 8 (a) (or f^2 for equation 8 (b)) plotted against $1/K$ for the case in which r_1 is larger than the critical value (curve (d), Fig. 5). The curve is a straight line cutting the axis OX and OY in V and W such that $OV = A_1$ (or A_3) and the tangent of the angle OVW is A_2 (or A_4). The value OV of $1/K$ for infinite (or zero) zero-phase-shift frequency is less than 1, so that P has a minimum value corresponding to OS in Fig. 5. If the critical value of r_1 is chosen (curve (c), Fig. 5), then the point V in Fig. 6 will be such that $OV=1$, and the whole of the range of P can then be used. This condition gives the largest range of

variation of the zero-phase-shift frequency.

Referring again to Fig. 4, if r_1 is zero

and r_2 is not zero, it can be shown that the equations corresponding to (1), (2) and (3) are respectively:—

$$X_1 X_2 / R_1 R_2 = 1 - ND(1 + D) / M - p(1 + d^2 / M - ND / M) / (P / p R_2 + 1 + d) \quad (9)$$

$$1/L = 1 + M + N / (1 + D) \quad (10)$$

$$X_1 X_2 = R_1 R_2 - r_2 R N(1 + D) - a(R_1 + d^2 R_2 - N r_2) / K(1 + d) \quad (11)$$

Equations (4) and (5) remain unchanged.

In this case the various parameters may be chosen in a manner similar to that explained above.

The equations corresponding to equations (6) for the limiting zero-phase-shift frequency when P is infinite are

$$\left. \begin{aligned} X_1 X_2 &= R_1 R_2 - r_2 R N(1 + D) \\ &= R_1 R_2 [1 - ND(1 + D) / M] \end{aligned} \right\} \quad (12)$$

It will be understood that although for convenience the cases in which $r_1 = 0$ and $r_2 = 0$ have been treated separately, networks may be used in which neither r_1 nor r_2 is zero.

It has already been pointed out that the reactances X_1 and X_2 of Fig. 4 may be positive or negative. Another series of networks according to the invention may be obtained by replacing the reactances X_1 and X_2 by resistances and the resistances x_1 , y , a , b and P by reactances all of the same kind.

Fig. 7 shows a typical example of one of these networks using capacitive reactances. The series arm of the network comprises a resistance 17 connected in series with two condensers 18 and 19, and the shunt arm comprises a resistance 20 in parallel with two series connected condensers 21 and 22. A variable condenser 23 is connected between the junction point of the condensers 18 and 19 and the junction point of the condensers 21 and 22.

A resistance r_1 (not shown) could be connected in series with the whole of the shunt arm (in the manner shown in Fig. 4) if the performance indicated by curve (b), (c) or (d) of Fig. 5 is required. Alternatively a condenser (not shown) having a reactance D times the reactance of the condensers 21 and 22 taken in series, may be connected in series with the resistance 20 to give the performance just referred to, or both the resistance and the condenser may be provided.

For the network of Fig. 7, equation (1) will be modified as follows:—

$$R_1 R_2 / X_1 X_2 = (1 - NA) / (1 + MA) - p[d^2 / M + (1 - NA) / (1 + MA)] / (P / p X_2 + 1 + d) \quad (13)$$

Equation (4) is changed as follows:—

$$1/L = 1 + BN + M / (1 + BN) \quad (14)$$

Equation (2) will be unchanged.

Fig. 8 shows another circuit according to the invention, which can be shown by well known network transforming methods to be identically equivalent to the circuit of Fig. 2. It will be noted that Fig. 8 differs from Fig. 2 in that the upper end of the shunt resistance 8 is connected to the opposite end of the series resistance 6. If the capacities of condensers 5 and 7 in Fig. 8 are respectively equal to the capacities of condensers 7 and 5 in Fig. 2, then both networks have the same relation between the value of P and the zero-phase-shift frequency, but the value of L is different unless the

capacities of condensers 5 and 7 are equal in each network. All the networks covered by Fig. 4 can be transformed in a similar way.

It may be pointed out that the networks including condensers are suitable for high frequencies. Then there is always a finite lower limit to the zero-phase-shift frequency, but the upper limit, which occurs when P approaches zero, can be made infinite if suitably proportioned resistances r_1 and/or r_2 be included. Likewise those including inductances are more suitable for low frequencies. Then there is always a finite upper limit to the zero-phase-shift frequency, but the lower limit, which occurs when P approaches zero, can be made zero by means of the resistances r_1 and/or r_2 .

It should be noted, also, that the zero-phase-shift frequency can be adjusted in an alternative manner, namely by keeping P fixed and simultaneously varying the tapping points on the series and shunt arms of the networks in such manner that p and q fulfil the conditions of equation (4) or (5) or (14).

This is quite a practical scheme when the elements x , y , a , b and P are resistance elements, since the relation between p and q is linear. The arrangement is also theoretically possible though hardly practicable, if these elements are condensers as in Fig. 7. When these elements are resistive, the highest frequency is obtained when $q=0$ or $p=1$, when X_1 and X_2 are negative reactances of the lowest frequency when they are positive reactances.

As it may be inconvenient to divide the series and shunt impedance elements of the network in order to obtain the tapping points for the adjustable element P , the same result may be achieved in a different way, an example of which is shown in Fig. 9 which is a modification of Fig. 7. In Fig. 9 the condenser 24 replaces the two condensers 18 and 19 of Fig. 7, and is shunted by two other condensers 25 and 26 connected in series. Likewise the condenser 27 replaces the two condensers 21 and 22 of Fig. 7 and is shunted by the two condensers 28 and 29 connected in series. The condenser 23, which represents the variable element P , is connected between the junction points of the condensers 25 and 26 and of the condensers 28 and 29 respectively. The capacities of the condensers 24, 25 and 26 will be chosen so that if the deltas 24, 25, 26 and 27, 28, 29 be supposed replaced by the equivalent T arrangements, the capacities of the T which act effectively in series with the resistance 17 are respectively equal to the capacities of condensers 18 and 19 of Fig. 7. Similarly the effective series capacities of the T network equivalent to the delta 27, 28, 29 should be respectively equal to the capacities of the two condensers 21 and 22.

The arrangement then operates in the same way as that of Fig. 7, except that an additional reactance contributed by the shunt arms of the equivalent T networks acts effectively in series with the variable element 23, so that this additional reactance must be included in the value of P , and sets a limit to its minimum value.

A similar delta arrangement can evidently be used in a network similar to Fig. 2 in which each of the resistances 6 and 8 could be shunted by a tapped resistance, the resistance 9 being con-

nected between the two taps. The values of the resistances would be chosen according to the same principles as in Fig. 9. Clearly, also an arrangement similar to Fig. 9 could be used in which all the condensers are replaced by inductances.

It is evident also, that the delta arrangement could be used, if desired, for only one of the arms of the network.

This delta arrangement may be found convenient in order to avoid tapping a precision element. Thus in Fig. 9, the condensers 24 and 27 may be high grade adjustable condensers in order to provide a number of different frequency ranges. In such a case tapping these condensers would be impracticable, and the additional condensers such as 25 and 26 can conveniently be provided with the proper capacity ratio, and would not need to be changed when the condenser 24 is changed. This device is also useful in other circumstances, an example of which occurs in Fig. 12.

Referring again to Fig. 3, the introduction of the impedance 15 may be treated in a slightly different manner. Suppose that the elements 10 to 14 and 16 have been designed according to the principles already explained so that a constant voltage transfer ratio at the zero-phase-shift frequency, determined by the adjustment of element 16, has been obtained. Then for given setting of this element, the network is equivalent to the portion inside the dotted outline of Fig. 10, which consists of a series impedance Z_1 and a shunt impedance Z_2 whose values can be calculated according to well-known principles from the values of the elements 10 to 14 and 16. The voltage transfer ratio L will be $Z_2/(Z_1+Z_2)$ which, as already stated, will be constant at the zero-phase-shift frequency for adjustments of the element 16. If now the element 15 of impedance Z_4 be introduced in series with Z_2 , then the voltage transfer ratio of the whole network of Fig. 10 will still be equal to L provided that an impedance Z_3 is introduced in series with Z_1 , as shown, having the value $(1-L)Z_4/L$. The relation between the value of P and the zero-phase-shift frequency will be unchanged. It will be understood that Z_3 and Z_4 can be any type of impedances whatever, provided that their ratio is $\mu = (1-L)/L$ independent of frequency. Thus, for example, if Z_4 comprises an inductance L_0 in parallel with a series combination of a condenser of capacity C_0 and a resistance R_0 , then impedance Z_3 will be an inductance μL_0 in parallel with a series combination of a condenser of capacity C/μ and a resistance μR_0 . It is evident that Z_3 and Z_4

could comprise single impedance elements of any type, or any kind of network of such elements.

It will be understood that the impedances Z_3 and Z_4 may be introduced in this manner whether or not r_2 is included in the shunt arm of the original network, and whatever be the form of the original network. The value of L to be used is in all cases that of the original network before Z_3 and Z_4 have been introduced.

When, as in the case first treated above, the impedance Z_4 is a resistance r_1 , and when no corresponding impedance Z_3 is included in the series arm, then the relation between P and the zero-phase-shift frequency is affected by r_1 , according to equations (1) and (3) and the curves shown in Fig. 5.

In order further to illustrate the invention, some particular cases will be quoted. A simple case of Fig. 2 is that for which $R_1 = R_2 = R$; $C_1 = C_2 = C$; and $r_1 = r_2 = 0$.

From equation (2) it follows that $L = \frac{1}{2}$. If q is chosen equal to zero, so that the variable resistance P is connected to the junction point C and R in the series arm, then it follows from equa-

tions (4) or (5) that $p = 0.618$.

It can be shown from equation (1) by putting $P = 0$ and $P = \infty$ therein, that the ratio of the maximum to the minimum zero-phase-shift frequency is 2.618.

This simple case gives a rather small total variation of the zero-phase-shift frequency, and as already explained, the introduction of a suitable resistance r_1 will enable this range to be extended to infinity. A suitable value of r_1 can be obtained by solving equation (1) for A when the left hand side is put equal to zero. In this case, and for the particular case in which $R_1 = R_2 = R$; and $C_1 = C_2 = C$; $r_2 = 0$; the values of p and q were $\frac{2}{3}$ and $\frac{1}{3}$ respectively. This gives an infinite zero-phase-shift frequency for $P = 0$; and the corresponding values of A and L are $\frac{1}{3}$ and 0.4, respectively. It can be seen from equation (1) or (3) that the zero-phase-shift frequency for $P = \infty$ is given by $1/f = \sqrt{2} \pi RC$. For the special case in which $R = 1065$ ohms, $C = 0.1555 \mu F$ and $r_1 = 354$ ohms, the following measured value of the zero-phase-shift frequency f for various values of P were obtained:—

P (ohms)	∞	5000	361	110.5	52.0
f (c/s)	1360	1536.5	3000	5000	7000.

If in this case a compensating resistance Z_3 for r_1 be included in the series arm in the manner explained with reference to Fig. 10, the value of L for the network without r_1 is now $\frac{1}{3}$ (from equation (2) since $A = 0$) so $\mu = 2$, and the value of Z_3 should be $2r_1 = 708$ ohms. The zero-phase-shift frequency for $P = 0$ will however not be infinite, since r_1 no longer affects the frequency characteristic.

Two numerical examples will be given for the network of Fig. 4; in the first of which X_1 and X_2 are negative reactances represented by condensers of capacities C_1 and C_2 , and in the second of which X_1

and X_2 are positive reactances represented by inductances L_1 and L_2 .

CASE 1.

$R_1 = 1070$ ohms	$M = 1.015$
$R_2 = 1053$ ohms	$N = 4.04$
$C_1 = 0.098 \mu F$	$A = 0.105$
$C_2 = 0.398 \mu F$	$L = 0.18$
$r_1 = 112$ ohms	
$r_2 = 0$	
$p = 0.255$	
$q = 0.110$	

The following measured values of the zero-phase-shift frequency f were obtained for various values of P :—

P (Ohms)	∞	5550	2020	1091	590	496	485
f (c/s)	1040	1200	1500	2000	4000	8000	10,000

The value of P when $f = \infty$ is about 480 ohms, so that smaller values of P cannot be used.

CASE 2.

	$R_1 = 1100$ ohms	$M = 1.043$
	$R_2 = 1053$ ohms	$N = 0.265$
	$L_1 = 0.206$ henry	$D = 0.114$
5	$L_2 = 0.728$ henry	$L = 0.43$
	$r_1 = 0$	
	$r_2 = 120$ ohms	
	$p = 0.835$	
	$q = 0.030$.	

Note that the resistance of L_1 is included in R_1 ; and r_2 represents the whole of the resistance of L_2 , so that no actual element had to be supplied for r_2 .

The following measured values of the zero-phase-shift frequency were obtained for various value of P :—

P (ohms)	0	50	100	200	250	500	1000	2000	3000	∞
f (c/s)	113	130	144	167	176	214	260	308	354	420

A final numerical example of Fig. 7 will be given:—

20	R_1 (resistance of 17)	= 2000 ohms	$M = 2$
	R_2 (resistance of 20)	= 1000 ohms	$N = 1.365$
	C_1 (capacity of 19)	= $0.114\mu\text{F.}$	$A = .015$
	C_x (capacity of 21)	= $0.3114\mu\text{F.}$	$L = 0.233$
	C_y (capacity of 22)	= $0.3105\mu\text{F.}$	
25	r_1 (in series with shunt arm)	= 30 ohms	
	C_2 (C_x and C_y in series)	= $0.1555\mu\text{F.}$	

Element 18 was short-circuited,

$$\text{so } q = 0 \\ p = 0.5.$$

The following measured values of the zero-phase-shift frequency are obtained for various values of the capacity C_p of the condenser 23:—

C_p ($\mu\text{F.}$)	0	0.02	0.06	0.1	0.2	0.4	0.5
35 f (c/s)	866	790	691	628	539.5	460	438.5

Fig. 11 shows an oscillator circuit employing one of the networks according to the invention. The arrangement of Fig. 4 in which the reactances X_1 and X_2 are represented by inductances L_1 and L_2 is particularly convenient for this purpose, and results in a very simple circuit. In Fig. 11 a thermionic valve 30 has a very simple circuit. In Fig. 11 a thermionic valve 30 has a resistance 31 connected in series between the cathode and ground. The anode is connected through a suitable anode resistance 32 to the positive terminal 33 for the high tension supply source (not shown), the grounded negative terminal of which is 34. The output oscillations may be taken from terminal 35 connected to the anode through a blocking condenser 36.

The cathode circuit of the valve is connected to the control grid circuit by a network according to the invention comprising a series arm including an inductance coil 37 (L_1) and a tapped resistance 38 (R_1); and a shunt arm including an inductance coil 39 (L_2) and a tapped resistance 40 (R_2), a resistance 41 (r_2) being shown connected in series with the inductance coil 39. It will be understood that the resistance 41 includes the resistance of the coil 39 and may not be represented by any actual element.

The inductance coil 39 is also the primary winding of a transformer, the secondary winding 42 of which is connected to a high resistance potentiometer 43 and has one terminal connected to ground. The adjustable contact of the

potentiometer 43 is connected to the control grid of the valve 30. An adjustable resistance 44 (P) is connected between the tapping points on the resistances 38 and 40.

The transformer formed by the coils 39 and 42 may have a step-up ratio of the order of 3:1, and the potentiometer 43 should have a very high resistance so that the inductance L_2 is substantially the primary inductance of the transformer.

Since there is substantially a zero phase change between the control grid and cathode of an amplifying valve arranged in the manner of Fig. 11, oscillations will occur at the zero-phase-shift frequency of the coupling network.

It will be clear, therefore, from what has been explained, that the network may be designed to obtain any desired range of oscillation frequencies by adjustment of the single resistance element 44; and moreover, the amplitude of the oscillations may be made practically independent of the frequency. The value of L for the network should be chosen suitably in relation to the transformer ratio and to the gain of the amplifier, and the potentiometer 43 provides a convenient fine adjustment for L to enable the oscillation condition to be correctly set.

It will be understood that the output may be taken from the valve 30 in various other ways. For example, a separate amplifying valve (not shown) may be provided, with its control grid (or cathode) connected directly to the control grid (or cathode) of the valve 30. In this case the resistance 32 and condenser 36 will not be needed.

Attention is however drawn to the fact that the conditions for constant voltage transfer ratio L are only approximately fulfilled in the circuit of Fig. 11 because of the presence of the resistance r_2 in series with L_2 . The voltage applied to the control grid of the valve 30 should ideally be proportioned to the voltage across the resistance 40, but it will be seen that in Fig. 11, the voltage applied to the control grid is proportional to the voltage across L_2 , which is slightly different on account of the presence of r_2 . However, if r_2 is small, and/or the range of variation of the element 44 is small, the value of L will vary only slightly as this element is adjusted.

As already mentioned, the circuit of Fig. 11 provides a particularly simple oscillation circuit. However, any of the other networks which have been described may be used to couple the cathode to the control grid of the valve 30, with the bias and other operating arrangements for the

valve modified where necessary, as will be understood by those skilled in the art. A step-up transformer will be required between the output of the network and the control grid, because the voltage amplification factor of the valve 30 arranged as a cathode follower is always less than 1. Such a transformer should be designed to have a very high primary impedance otherwise an appreciable phase shift may be introduced which might result in a corresponding small variation in the voltage transfer ratio. It is however the particular advantage of the network shown in Fig. 11 that the primary winding of this transformer can form an integral part of the network.

It will be understood also, that any of the networks according to the invention may be used in the usual two-valve resistance reactance oscillator circuits in which the anode of each valve is coupled to the control grid of the other, one of the couplings including the network which determines the frequency.

Owing to the fact that the oscillation amplitude can be independent of the frequency, an oscillator employing a network according to the invention may be very easily used to produce frequency modulated waves without any accompanying amplitude modulation. Thus, for example, in an oscillation circuit employing any of the networks of Fig. 4, the element 16 need only be replaced by a carbon microphone, the resistance of which, as is well known, varies in accordance with the pressure of the sound waves which impinge on the diaphragm. The circuit being designed to generate a suitable carrier frequency, the output waves will be frequency modulated in accordance with the speech signals, without any amplitude modulation.

It is, however, well known that the operation of a carbon microphone is non-linear, since the resistance varies more rapidly for outward excursions of the diaphragm than for inward excursions. This effect can be very conveniently corrected by suitable choice of the resistance r_1 or r_2 because as shown in Fig. 5 the steepness and shape of the characteristic curve relating the zero-phase-shift frequency to the value of P may be adjusted thereby until it is substantially the inverse of the corresponding microphone resistance characteristic.

Actually the two characteristic curves are not quite the same shape, but adequate compensation over a relatively wide frequency band is possible, so that practically undistorted frequency modulated waves will be obtained from the oscillator.

It may be pointed out that the variable

resistance element may be used for a somewhat different purpose. Suppose a number of single frequency oscillators according to Fig. 11 have to be manu-
 5 factured. Then, as is well known, the output frequency of the individual oscillators will vary within a certain small range on account of the unavoidable manufacturing variation of the elements
 10 which take up the circuit. By providing a single adjustable resistance 44 connected to tapping points on the resistances 38 and 40 determined in the manner explained, the frequency of each individual
 15 oscillator may be accurately set or trimmed by the simple adjustment of the element 44, which may then be locked if desired in any convenient manner. This forms a very inexpensive means of ob-
 20 taining an accurate output frequency in a circuit employing elements made to commercial limits. This method of trimming the network may clearly be used whatever be the purpose for which the
 25 network is used. Networks such as these shown in Fig. 7 or 9 may be adjusted in the same way by providing a small trimming condenser for the element 23.

The variable element corresponding to
 30 44 in Fig. 11 may be a semi-conducting device, such as a rectifier, which may be controlled by an adjustable voltage or current. Fig. 12 shows how the network of Fig. 2 may be arranged, using a recti-
 35 fier 45 connecting the tapping points in the resistances 6 and 8. An additional resistance 45 is connected at one end to the junction point of the elements 6 and 7, and at the other end to a terminal 47. A direct current source of adjustable
 40 voltage (not shown) is intended to be connected with its positive terminal to terminal 47 and its negative terminal to terminal 4. As is well known, the effective resistance of the rectifier 45 will de-
 45 pend on the applied voltage, the adjustment of which will change the zero-phase-shift frequency accordingly. This provides a convenient means of remote control of the network. If the network be
 50 used as part of an oscillator circuit similar to that shown in Fig. 11 for example, the oscillation frequency may be conveniently controlled in this way. If the source connected to terminals 4 and
 55 47 includes a source of signal voltage, the arrangement provides an alternative means of frequency modulation of the oscillations. If the rectifier 45 is reversed,
 60 then the connections at terminals 4 and 47 to the direct current source should also be reversed.

Fig. 13 shows a variation of Fig. 12 in which a bridge rectifier 48 is used instead
 65 of the single rectifier 45. In this case an

extra resistance corresponding to 46 is not needed. One pair of diagonal terminals of the bridge rectifier are respectively connected to the taps on the resistances 6 and 8, and the other pair to two terminals
 70 49 and 50, to which a direct current source (not shown) should be connected. This source may include a source of modulating signal voltage when the network is used in an oscillator circuit, as in
 75 the case of Fig. 12.

Another convenient method of controlling the zero-phase-shift frequency of a network such as any of those covered by Fig. 4 is to replace the resistance 16, or
 80 part of it, by the resistance element of an indirectly heated thermistor the heating coil of which is connected to a source of adjustable direct or alternating
 85 current.

It will be evident that any of the networks covered by Fig. 4 may be provided with a rectifier arranged as in Fig. 12 or 13, and any such networks may be used in oscillator circuits similar to that shown
 90 in Fig. 11, or in any other manner.

Having now particularly described and ascertained the nature of my said invention and in what manner the same is to be performed, I declare that what I claim
 95 is:—








1. An electrical phase-shifting network including resistive and reactive impedance elements arranged in series and shunt arms of the network, and comprising
 100 an additional impedance element connecting a point on a series arm with a point on a shunt arm, the arrangement being such that the voltage phase shift produced by the network is zero at a fre-
 105 quency which depends on the magnitude of the additional element.

2. An electrical phase shifting network comprising series and shunt arms including resistive and reactive elements, and
 110 an additional adjustable impedance element connecting a point on a series arm with a point on a shunt arm in such manner as to control the frequency at which the voltage phase-shift produced
 115 by the network is zero, the elements of the network being so proportioned that the voltage transfer ratio at the frequency of zero-phase-shift is constant for all settings of the adjustable element. 120

3. An electrical phase shifting network according to claim 2 further comprising an extra impedance element or network of impedance elements connected
 125 in series with the shunt arm, and a corresponding extra impedance element or network connected in series with the series arm and so proportioned that the voltage transfer ratio and the zero-phase-shift frequency of the phase shifting network are 130

- unchanged when both the extra elements or networks are short circuited.
4. A modification to the network according to claim 3 in which the extra impedance element in the series arm is effectively produced by appropriately changing the values, or the values and the arrangement, of the elements in the series arm of the network.
5. A network according to claim 2 in which the elements are so proportioned that the voltage transfer ratio of the network at the zero-phase-shift frequency is independent of the magnitude of the additional impedance element.
6. A network according to claim 2 or 5 in which one of the elements, to a point on which the additional element is connected, or each of the said elements, comprises a delta formation of three impedance elements of like nature, the additional element being connected to the apex of the delta.
7. A network according to claim 2, 5 or 6 in which the additional element is a resistive element and is adapted to connect a point on a series resistive element with a point on a shunt resistive element.
8. A network according to claim 2, 5 or 6 in which the additional element is a reactive element and is adapted to connect a point on a series reactive element with a point on a shunt reactive element.
9. A network according to claim 7 in which the shunt arm of the network includes the said shunt resistive element and a reactive element in parallel therewith.
10. A network according to claim 9 in which the shunt arm further includes a second resistive element in series with both the said resistive and reactive elements.
11. A network according to claim 9 or 10 in which a resistive element is also connected in series with the said reactive element.
12. A network according to claim 8 in which the shunt arm of the network includes the said shunt reactive element and a resistive element in parallel therewith.
13. A network according to claim 12 in which a reactive element is also connected in series with the said resistive element.
14. A network according to claim 7, 9, 10 or 11 in which the said additional element comprises an adjustable resistance.
15. A network according to claim 7, 9, 10 or 11 in which the said additional element comprises a carbon microphone.
16. A network according to claim 7, 9, 10 or 11 in which the said additional element comprises a rectifier and in which means is provided for applying a controlling voltage to the said rectifier.
17. A network according to claim 7, 9, 10 or 11 in which the said additional element comprises the resistance element of an indirectly heated thermistor, and in which means is provided for applying a controlling current to the heating coil of the thermistor.
18. A network according to any of the claims 2 to 17 in which all the reactive elements comprise condensers.
19. A network according to any of the claims 2 to 17 in which all the reactive elements comprises inductances.
20. An oscillation generator comprising a thermionic valve amplifier having its input and output circuits connected by a path which includes a network according to any preceding claim.
21. A generator according to claim 20 in which the amplifier comprises two amplifying stages.
22. A generator according to claim 20 in which the amplifier comprises a single cathode follower stage.
23. An oscillation generator comprising a thermionic valve, a phase shifting network according to claim 7, 9, 10 or 11 having a series arm connected to the cathode of the valve and including a first resistance and a first inductance in series, and a shunt arm also connected to the said cathode, and including a second resistance and a second inductance in parallel; there being also provided a secondary winding inductively coupled to the said second inductance and connected to the control grid of the valve.
24. A generator according to claim 20, 21, 22 or 23 in which the additional impedance element comprises a carbon microphone.
25. The electrical phase shifting network described with reference to Fig. 2, 3, 7, 8, 9, 10, 12 or 13, or to Figs. 4, 5 and 6 of the accompanying drawings.
26. The oscillation generator according to claim 20 described with reference to Fig. 11 of the accompanying drawings.
- Dated this 5th day of February, A.D. 1946.
- ERNEST E. TOWLER,
Chartered Patent Agent,
For the Applicant.

[This Drawing is a reproduction of the Original on a reduced scale.]



SHEET 1

G.2.








FIG.6.

FIG.11.




FIG.12.




FIG.10.




FIG.13.

